	POPULATION	N ESTIMATI	ES	LON	G-TERM CARE		LOCAL HE	ALTH DEPARTM	IENTS
Total 20	02 Populati	Lon	121,080	Community Opti MA Waiver Prog	ons and rams				Per 10,000
Populat	ion per squ	are mile	281				Staffing - FTE	Number	Populátion
County	ranking ir	n state (1-72) 9	COP MA Waiver *	Clients	Costs	Total staff Administrative Professional sta Technical/Parapr Support staff	22	1.8
1	3	`	,	COP	26	\$261,107	Administrative	3	0.2
Age	Female	Male	Total	l MA Waiver *		· ,	Professional sta	ff 12	1.0
0-14	12,360		25,480	CIP1A	28	\$1,821,439	Technical/Parapr	of. 3	0.2
15-19	4,020	4,450	8,470	CIP1B	133	\$4,260,876	Support staff '	4	0.3
20-24	3,080	3,400	6,480	CIP2	43	\$353,600			
25-29	3,140	3,270	6,410	MA Waiver * CIP1A CIP1B CIP2 COP-W CSLA	163	\$951,572	Funding Total Local Taxes		Per capita
30-34	4,260	4,230	8,490	CSLA		´ \$0	Total	\$1,192,465	\$9.90
35-39	5,370	5,310	10,680	l Brath Injury	Ö	\$615,785	Local Taxes	\$803,525	\$6.67
40-44	5,610	5,700	11,300	Total COP/Wvrs	401	\$8,264,379			
45-54	9,110	9,350	18,450			, , , l	LICENSED) ESTABLISHME	NTS
55-64	5,780	5,720	11,500			waiver costs			
65-74	3,750	3,320	7,070	were paid as	local match	/overmatch	Туре	Capacity	Facilities
75-84	2,900	1,990	4,890	using COP fun			Bed & Breakfast	20	6
85+	1,330	520	1,850	not included	in above CO	P costs.	Camps	557	6
Total	60,700	60,380	121,080				Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	965	25
				* Waiver cost	s reported	here	Tourist Rooming	21	7
Age		Male	Total	include fede	ral funding	.	P0018		32
0-17	14,680	15,740	30,420				Restaurants		137
18-44	23,160	23,740	46,890		Clients	Costs	Vending		6
45-64	14,890	15,070	29,950	Eligible and Waiting		,			
_65+	7,980	5,830	13,810	Waiting	150	n/a			
Total	60,700	60,380	121,080	/F11 0			WTO D	ADTIOIDANITO	
Da	F-4:4 4	0000		(Family Care n	ot provided	i in county)	WIC P	ARTICIPANTS	
Poverty	Estimates 1		(C T /)						Numban
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ESLI	Liliate	(C.I.+/-)	 Note: Eligible	and waitin	a olionto	Doggoont / Dogtoon	+	Number
All ag	es 2	1,248	330	Note: Eligible	and wartin	ig criteties	Pregnant/Postpar Infants	· Lulli	
Λαος 0	. 17 -	3.0% 401	350 (8%) 190 (14%)	will be phas Waivers as a	eu Into the	COP and MA	Children age 1	1	611 711
Ayes u	- 17	1,401 1.50	190 (14%)	Walvers as a	valiable.		Children, age 1- Total	4	1,888
		4.5%	(14%)				TOTAL		1,000
	FMPI (YMENT		l			CANCER I	NCIDENCE (20	000)
	age for jok			 Home Health Ag	encies		Primary Site	NOIDLINGE (20	,00)
hy unemn1	oyment comp	nensation	\$30, 208	Patients	CHOICS	•	Breast		82
Note: has	ed on place	of work	Ψ00,200	Patients per	10 000 non	•	Cervical		8
Note: bao	ca on prace	or work	Annual	l racioneo por	10,000 pop.		Colorectal		50
lahor For	ce Estimate	20		Nursing Homes		5	Lung and Bronchu	ıs	47
Labor 101	oc Locimaco	,0	/wer age	Licensed beds		5 708	Prostate	.0	89
Civilian	Labor Ford	e	69.407	Occupancy rat	е	89.8%	Other sites		208
Number	emploved		66,020	Residents on	Dec.31	642	Total		484
Number	unemploved	d	3,387	Residents age	65 or olde	r	-		
Unemp	loyment rat	e	´4 . 9%	per 1,000 po	pulation	44	Note: Totals show	n are for	
İ '	•			Nursing Homes Licensed beds Occupancy rat Residents on Residents age per 1,000 po	•	İ		ncers only.	
·				· 		'			

			NATA	LITY				
TOTAL LIVE BIRTHS		1,517	Pinth Ondon	Dintho	Poncont	Marital Status		
		.,	First	605 555	40	of Mother	Births	Percent
Crude Live Birth Rate	ì	12.5	Second	555	37	Married	1.294	85
General Fertility Rat	<u>-</u>	59.5	Third	233	15	Not married	223	15
donoral reneilley had	.0	0010	Fourth or higher	124	8	Unknown	0	
Live births with repo	rted		Second Third Fourth or higher Unknown	127	0	Married Not married Unknown	J	U
congenital anomalies	1	IQ 1 2%	OHKHOWH	O	U	Education		
Congenital anomalies	ļ	10 1.20	First Prenatal				Births	Percent
Delivery Type	Dintho	Percent	Visit	Births	Percent	Elementary or les		<.5
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			1st trimester	1 407	93	Come bigh cohes!	55 U	\.J
previous cesarean Forceps	10	4	Ond thimester	1,407	93	Some high school	200	4
previous desarean	19	¦	2nd trimester	97	0 - E	High school Some college	399	20 07
Forceps	1 105	- I	2nd trimester 3rd trimester No visits Unknown	,	\.5 .5	Sollie College	410	21
Other Vaginai	1,135	/5	NO VISITS	5	<.5	College graduate Unknown	632	42
Primary cesarean	216	14	Unknown	1	<.5	Unknown	2	<.5
Repeat cesarean	130	9						
Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	0	0	Number of Prenatal			Smoking Status	5	
			Care visits	Births	Percent	of Mother	Births	
Birthweight	Births	Percent	No visits 1-4 5-9	5	<.5	Sillokei	170	12
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	12	0.8	1-4	6	<.5	Nonsmoker	1,341	88
1,500-2,499 gm	80	5.3	5-9	84	6	Unknown	0	0
2,500+ gm	1,425	93.9	10-12 13+	612 807	40			
Unknown	0	0	13+		53			
			Unknown	3	<.5			
			Low Birthweight		Trimest	er of First Prenatal	Visit	I
			Low Birthweight (under 2.500 am)	1st Tr	Trimest imester	er of First Prenatal 2nd Trimester	l Visit Other/	'Unknown
Race of Mother	Births F	Percent	Low Birthweight (under 2,500 gm) Births Percent	1st Tr: Births	Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent	l Visit Other/ Births	Unknown Percent
Race of Mother	Births F	Percent 99	Low Birthweight (under 2,500 gm) Births Percent	1st Tra Births	Trimest imester Percent 93	er of First Prenatal 2nd Trimester Births Percent 94 6	l Visit Other/ Births	Unknown Percent
Race of Mother White	Births F 1,498 4	Percent 99 < 5	Low Birthweight (under 2,500 gm) Births Percent 90 6.0	1st Tr: Births 1,391	Trimest imester Percent 93	er of First Prenatal 2nd Trimester Births Percent 94 6	l Visit Other/ Births 13 *	Unknown Percent 1
Race of Mother White Black Other	Births F 1,498 4	Percent 99 <.5 1	Low Birthweight (under 2,500 gm) Births Percent 90 6.0 *	1st Tr: Births 1,391 *	Trimest imester Percent 93 87	er of First Prenatal 2nd Trimester Births Percent 94 6 *	Visit Other/ Births 13 *	Unknown Percent 1
Race of Mother White Black Other	Births F 1,498 4 15	Percent 99 <.5 1	Low Birthweight (under 2,500 gm) Births Percent 90 6.0 * 1 6.7	1st Tr: Births 1,391 *	Trimest imester Percent 93 87	er of First Prenatal 2nd Trimester Births Percent 94 6 * 2 13	l Visit Other/ Births 13 *	Unknown Percent 1 .
Race of Mother White Black Other Unknown	Births F 1,498 4 15 0							
Race of Mother White Black Other Unknown	Births F 1,498 4 15 0							
Race of Mother White Black Other Unknown Age of Mother < 15		ertility Rate	Low Birthweight (under 2,500 gm) Births Percent					
Age of Mother	Fe Births	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births *		er of First Prenatal 2nd Trimester Births Percent * .		
Age of Mother <15 15-17	Fe Births 1	ertility Rate	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births *	Trimest imester Percent	er of First Prenatal 2nd Trimester Births Percent * . 1 9	Visit Other/ Births *	'Unknown Percent
Age of Mother <15 15-17 18-19	F6 Births 1 11 51	ertility Rate 5 30	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7	1st Tr Births * 10 41	Trimest imester Percent 91 80	er of First Prenatal 2nd Trimester Births Percent * . 1 9 7 14	Visit Other/ Births *	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24	Fe Births 1 11 51 221	ertility Rate 5 30 72	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7 15 6.8	1st Tr: Births * 10 41 187	Trimest imester Percent 91 80 85	er of First Prenatal 2nd Trimester Births Percent * . 1 9 7 14 32 14	Visit Other/ Births *	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29	Fe Births 1 11 51 221 429	ertility Rate 5 30 72 137	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7 15 6.8 22 5.1	1st Tr: Births * 10 41 187 403	Trimest imester Percent 91 80 85 94	er of First Prenatal 2nd Trimester Births Percent * 1 9 7 14 32 14 24 6	Visit Other/ Births *	'Unknown Percent
Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 1 11 51 221 429 528	ertility Rate 5 30 72 137 124	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7 15 6.8 22 5.1 24 4.5	1st Tr: Births * 10 41 187 403 504	Trimest imester Percent 91 80 85 94 95	er of First Prenatal 2nd Trimester Births Percent * 1 9 7 14 32 14 24 6 22 4	Visit Other/ Births * . 3 2 2 2	'Unknown Percent 6 1 <.5 <.5
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 1 11 51 221 429 528 226	ertility Rate 5 30 72 137 124 42	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7 15 6.8 22 5.1 24 4.5 16 7.1	1st Tr: Births * 10 41 187 403 504 218	Trimest imester Percent 91 80 85 94 95 96	er of First Prenatal 2nd Trimester Births Percent * 1 9 7 14 32 14 24 6 22 4 5 2	Visit Other/Births * 3 2 2 2 3	'Unknown Percent 6 . 1 <.5 <.5 . 1
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 1 11 51 221 429 528 226 50	ertility Rate 5 30 72 137 124	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7 15 6.8 22 5.1 24 4.5	1st Tr: Births * 10 41 187 403 504	Trimest imester Percent 91 80 85 94 95	er of First Prenatal 2nd Trimester Births Percent * 1 9 7 14 32 14 24 6 22 4	Visit Other/ Births * . 3 2 2 2	'Unknown Percent 6 . 1 <.5 <.5 . 1
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 1 11 51 221 429 528 226	ertility Rate 5 30 72 137 124 42 9	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7 15 6.8 22 5.1 24 4.5 16 7.1	1st Tr: Births * 10 41 187 403 504 218	Trimest imester Percent 91 80 85 94 95 96	er of First Prenatal 2nd Trimester Births Percent * 1 9 7 14 32 14 24 6 22 4 5 2	Visit Other/Births * 3 2 2 2 3	'Unknown Percent 6 . 1 <.5 <.5 . 1
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 1 11 51 221 429 528 226 50	ertility Rate 5 30 72 137 124 42 9	Low Birthweight (under 2,500 gm) Births Percent * 3 27.3 8 15.7 15 6.8 22 5.1 24 4.5 16 7.1	1st Tr: Births * 10 41 187 403 504 218 44	Trimest imester Percent 91 80 85 94 95 96 88	er of First Prenatal 2nd Trimester Births Percent * . 1 9 7 14 32 14 24 6 22 4 5 2 5 10	Visit Other/Births * . 3 2 2 2 3 1	Unknown Percent

REPORTED* CASES OF SELECTED DIS	SEASES	neonatal, and Perinatal and	postneor fetal de	natal death eath rates	per 100,000 population. rates are per 1,000 live are per 1,000 live births culated for fewer than 20	births. plus	
Campylobacter Enteritis	Number 28 14	TOTAL DEATHS Crude Death Ra		851 703	Selected Underlying Cause Heart Disease (total)	219	Rate 181
Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C	<5 <5 42	Age 1 - 4	Deaths 1	Rate	Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung	218	124 180 47
Legionnaire's Lyme	42 0 <5	5-14 5-19	4 6		Colorectal Female Breast	25 12	21 .*
Measles	0	20-34 35-54	18 65	161	Cerebrovascular Disease	63 29	52 24
Meningitis, Aseptic Meningitis, Bacterial Mumps Pertussis	0 0 6	55-64 65-74 75-84	82 138 250		Pneumonia & Influenza Accidents Motor vehicle	57	47
Salmonellosis Shigellosis	26 <5	85+	282	15,245	Motor vehicle Diabetes Infect./Parasitic Dis. Suicide	24	20
Tuberculosis	<5	Infant	Daatha	Data			
 2002 provisional data Includes all positive HBsAg test results 		Mortality Total Infant Neonatal	Deaths 5 5	Rate	* Rate for female breas on female populat		pased
		Postneonatal Unknown			ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS		
Sexually Transmitted Disease Chlamydia Trachomatis	73	Race of Mother White	_		Alcohol	12	
Chlamydia Trachomatis Genital Herpes Gonorrhea Syphilis	44 13 <5	White Black Other	5	:	Alcohol Other Drugs Both Mentioned	10	:
Оурпітіз	\3	Unknown	:	÷	MOTOR VEHICLE		
IMMUNIZATIONS		Birthweight	2		Note: These data are b of crash, not on		
Children in Grades K-12 by Compliance Level Compliant 23,	144	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	2	:	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons F Injured 1,059	Persons Killed 11
Compliant 23, Non-compliant 2 Percent Compliant 9	287 8.8	Perinatal Montality	Doo+bo	Do+o	With Citation:		3
		Mortality Total Perinatal Neonatal Fetal	มย่อนเกร 12 5	Rate	For OWI For Speeding Motorcyclist Bicyclist Pedestrian	62 58	0 0 2
		Fetal	7	•	Bicyclist Pedestrian	12 15	0 0

			Average		Charge				Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Рор	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
Injury-Related:	: All					Alcohol-Related	l				
Total	788	6.5	5.0	\$19,179	\$125	Total	288	2.4	2.3	\$3,204	\$8
<18	65	2.1		\$11,699	\$25	18-44	169	3.6	1.9	\$2,315	\$8
18-44	201	4.3	4.0	\$16,901	\$72	45-64	91	3.0		\$3,966	\$12
45-64	191	6.4	5.4	\$22,319	\$142	Pneumonia and I		0.0	210	φο,σσσ	Ψ12
65+	331	24.0		\$20,218	\$484	Total	263	2.2	5.5	\$12,772	\$28
Injury: Hip F		24.0	0.0	Ψ20,210	ΨΤΟΤ	<18	39	1.3	2.4		\$6
Total	80	0.7	6.0	\$20,317	\$13	45-64	38	1.3		\$16,264	\$21
65+	76	5.5	6.1		\$113	65+	171	12.4		\$13,822	\$171
Injury: Poiso		5.5	0.1	Ψ20,300	ΨΙΙΟ	Cerebrovascular		12.7	0.0	Ψ10,022	ΨΙ/Ι
Total	63	0.5	2.0	\$6,921	\$4	Total	296	2.4	4.5	\$15,121	\$37
18-44	40	0.9	1.9	\$6,869	\$ 6	45-64	48	1.6		\$12,917	\$37 \$21
10-44	40	0.9	1.9	φυ, ου <u>θ</u>	φυ	45-04 65+	241	17.4	4.7		
Psychiatric										φ14,693	\$260
Total	E 4.7	4 E	5.3	ΦC 146	\$28	Chronic Obstruc Total		1.3		#0 010	\$12
	547	4.5		\$6,146		40	161		4.1	\$8,919	
<18	98	3.2	5.6	\$6,609	\$21	<18 18-44	21	0.7		\$3,768	\$3
18-44	248	5.3	3.8	\$4,268	\$23	18-44	26	0.6	2.5	\$6,036	\$3
45-64	119	4.0	6.4	\$7,184	\$29	45-64	33	1.1	3.7	\$7,948	\$9
65+	82	5.9	7.8	\$9,765	\$58	65+	81	5.9	5.3	\$11,575	\$68
	. .					Drug-Related				40.000	
Coronary Heart	Disease					Total	75	0.6	7.9	\$6,288	\$4
Total	608	5.0		\$32,057	\$161	18-44	48	1.0	3.1	\$3,730	\$4
45-64	234	7.8	3.9	\$34,534	\$270						
65+	343	24.8	4.4	\$30,646	\$761	Total Hospitali	zations				
						Total	11,172	92.3		\$12,790	
Malignant Neopl				_		<18	1,895	62.3	3.1	\$5 , 587	\$348
Total	467	3.9		\$23,217	\$90	18-44	3,043	64.9	3.0	\$9,150	\$594
18-44 45-64	47	1.0	6.2	\$28,126	\$28	45-64	2,339	78.1		\$17,009	\$1,328
45-64	166	5.5		\$23,940	\$133	65+	3,895	282.0	5.4	\$16,606	\$4,682
65+	247	17.9		\$21,573	\$386						
Neoplasms: Fe	emale Brea	ast (ra	ites for	female po	pulation)	PR	EVENTABLE				
Total	46	8.0	2.2	\$10,531	' \$8 ´	Total	1,169	9.7	4.4	\$10,435	\$101
Neoplasms: Co	olo-rectai	1		,	•	<18	¹⁴³	4.7		\$5,940	\$28
Total	51	0.4	8.5	\$24,668	\$10	18-44	144			\$7,485	\$23
65+	39	2.8		\$26,089	\$74	45-64	228	7.6		\$13,289	\$101
Neoplasms: Lu		_	_	. , -	•	65+	654	47.3	5.1		\$524
Total	41	0.3	6.9	\$23,727	\$8					, ,	+
Diabetes						 * Hospitalizations	for cond	itions	where t	imelv and	effecti
Total	109	0.9	4.9	\$13,371	\$12	ambulatory care ca	n reduce	the lik	kelihood	of hosni	talizati
65+	37	2.7	4.6	\$13,365	\$36					JUUPI	